





Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

| | | |
|---|--------------------------------------|----------------------------------|
|  | Not controlled under WHMIS (Canada). | HCS Class: Irritating substance. |
| WHMIS (Pictograms) | WHMIS (Classification) | HCS |

Section 1. Chemical Product and Company Identification

| | | | |
|-------------------------------------|--|---|-------------------------|
| Product Name/ Trade name | Betco Express® Floor Finish | Code | 658 |
| Synonym | Floor Finish | Version Number | |
| Chemical Family | Not available. | Validation Date | 3/2/2010 |
| Chemical Formula | Not applicable. | Print Date | 3/8/2010 |
| Manufacturer/ Supplier | Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (800) 333-2156 | In Case of Emergency | CHEMTREC (800) 424-9300 |
| TSCA | TSCA Inventory: All components listed or are exempt from listing. | | |
| DSL/ NDSL | All components listed unless noted elsewhere on this MSDS | | |
| | | Protective Clothing  | |

Section 2. Composition and Information on Ingredients

| Name | CAS # | % by Weight | Exposure Limits | LC ₅₀ /LD ₅₀ |
|---------------------------------|---------------------|-------------|---|--|
| Acrylic Copolymer | NJTSR# 71-091799 | 10 - 15 | Not available. | Not available. |
| Diethylene Glycol Ethyl Ether | 111-90-0 | 1 - 5 | TWA: 25 ppm CEIL: 25 ppm | ORAL (LD50): Acute: 5540 mg/kg [Rat]. |
| Dipropylene Glycol Methyl Ether | 34590-94-8 | 1 - 5 | ACGIH TLV (United States). TWA: 100 ppm 8 hour(s). STEL: 150 ppm 15 minute(s). | Not available. |

Section 3. Hazards Identification

| | |
|---|---|
| Potential Acute Health Effects | Hazardous in case of eye contact (irritant), of ingestion. Slightly hazardous in case of skin contact (irritant), of inhalation. Non-corrosive for skin. Non-corrosive to the eyes. |
| Potential Chronic Health Effects | Repeated skin exposure can produce local skin destruction, or dermatitis. |
| Carcinogenic Effects | Not classified or listed by IARC, NTP, OSHA, EU and ACGIH. |

Section 4. First Aid Measures

| | |
|---------------------|--|
| Eye Contact | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention. |
| Skin Contact | Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used. |
| Inhalation | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear. |

| | |
|------------------|--|
| Ingestion | Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. |
|------------------|--|

Section 5. Fire Fighting Measures

| | |
|---|---|
| Products of Combustion | Not available. |
| Fire Fighting Media and Instructions | SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet. |
| Special Remarks on Fire Hazards | Not available. |
| Special Remarks on Explosion Hazards | Not available. |


Section 6. Accidental Release Measures

| | |
|---|--|
| Small Spill and Leak | Absorb with an inert material and place in an appropriate waste disposal container. |
| Large Spill and Leak | Absorb with an inert material and put the spilled material in an appropriate waste disposal. |
| Personal Protection in Case of a Large Spill | Splash goggles. Boots. Vapor respirator. Gloves. |

Section 7. Handling and Storage

| | |
|------------------------|---|
| Precautions | Avoid breathing vapors of this product. After handling, always wash hands thoroughly with soap and water. |
| Incompatibility | Reactive with oxidizing agents, combustible materials. |
| Storage | Keep container tightly closed. Keep container in a cool, well-ventilated area. |

Section 8. Exposure Controls/Personal Protection

| | |
|---|---|
| Engineering Controls | Good general ventilation should be sufficient to control airborne levels. |
| Personal Protection | |
| <i>Eyes</i> | Safety glasses. |
| <i>Body</i> | Lab coat. |
| <i>Respiratory</i> | A respirator is not needed under normal and intended conditions of product use. |
| <i>Hands</i> | Gloves. |
| Protective Clothing (Pictograms) |  |
| Exposure Limits | Not available. |

Section 9. Physical and Chemical Properties

| | | | |
|--------------------------------------|---|--------------|-----------------|
| Physical State and Appearance | Liquid. | Odor | Characteristic. |
| Molecular Weight | Not applicable. | Taste | Not available. |
| pH | Not available. | Color | White. |
| Boiling/Condensation Point | 100°C (212°F) | | |
| Melting/Freezing Point | May start to solidify at 0°C (32°F) based on data for: Water. | | |
| Critical Temperature | Not available. | | |

| | |
|--|---|
| Instability Temperature | Not available. |
| Specific Gravity | 1.02739 (Water = 1) |
| Vapor Pressure | Not available. |
| Vapor Density | Not available. |
| Volatility | >50% (w/w). |
| VOC | 0.1948 lbs/gal |
| Evaporation Rate | <1 compared to Butyl acetate. |
| | |
| | |
| Dispersion Properties | See solubility in water, methanol, acetone. |
| Solubility | Easily soluble in methanol, acetone. Partially soluble in cold water, hot water. |
| The Product is: | May be combustible at high temperature. |
| Auto-ignition Temperature | Not available. |
| Flash Points | Not available. |
| Flammable Limits | Not available. |
| Fire Hazards in Presence of Various Substances | Not available. |
| Explosion Hazards in Presence of Various Substances | Not available. |

Section 10. Stability and Reactivity Data

| | |
|--|--|
| Stability | The product is stable. |
| Incompatibility with Various Substances | Reactive with oxidizing agents, combustible materials. |
| Hazardous Decomposition Products | Not available. |

Section 11. Toxicological Information

| | |
|---|---|
| Routes of Entry | Dermal contact. Eye contact. Inhalation. Ingestion. |
| Toxicity to Animals | Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether). |
| Acute Effects on Humans | <p><i>Eyes</i> Hazardous in case of eye contact (irritant). Non-corrosive to the eyes.</p> <p><i>Skin</i> Sensitization of the product: Not available. Slightly hazardous in case of skin contact (irritant). Non-corrosive for skin. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.</p> <p><i>Inhalation</i> Slightly hazardous in case of inhalation.</p> <p><i>Ingestion</i> Hazardous in case of ingestion.</p> |
| Chronic Effects on Humans | Repeated skin exposure can produce local skin destruction, or dermatitis. |
| Special Remarks on Toxicity to Animals | Not available. |

Special Remarks on Chronic Effects on Humans Not available.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Not available.

Toxicity of the Products of Biodegradation Not available.

Special Remarks on the Products of Biodegradation Not available.


Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification - Not a TDG controlled material.



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) Not controlled under WHMIS (Canada).



Regulatory Lists No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.) HCS Class: Irritating substance.

USA Regulatory Lists **WARNING:** This product contains chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm: Acrylonitrile

WARNING: This product contains chemical(s) known to the state of California to cause cancer.: Acrylonitrile

New Jersey Declaration: Acrylic Copolymer NJTSRN: 71-091799
SARA 311/312 MSDS distribution - chemical inventory - hazard
identification: Diethylene Glycol Ethyl Ether: Fire hazard


DSD (EEC) R36- Irritating to eyes.

International Regulations Lists No products were found.

Hazardous Material Information System (U.S.A.)

| | |
|-----------------|---|
| Health | 1 |
| Flammability | 0 |
| Physical Hazard | 0 |

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 3/2/2010.

Verified by CRushton.

Printed 3/8/2010.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/2/2010.

Betco Express® Floor Finish

Page: 5/5

Continued on Next Page